


AUTOMATION DYNAMICS

CARD-TO-VOICE READER

Model

PD 260

Preliminary
Bulletin



Standard 80 column punched cards are automatically fed into a photoelectric card reader and translated to voice readout on the Model PD260. This portable instrument consists of a card hopper, photoelectric reader, logic circuit and an audio memory and amplifier.

The basic unit is capable of reading 20 characters from each card. A program switch permits blanking out selected columns and introducing pauses between any or all spoken characters.

This card may also be made to auto-stop at any column. Front panel or remote control switching actuates the auto feed and cards are read in sequence. A unique feature is the repeat read which backs up the card in the reader for rereading as many times as desired. Advance from card to card may be switched from automatic to manual.

Numbers of characters are read out from the machine from a built-in loud speaker with adequate volume for normal office or shop use.

The reader is a compact machine that can easily be moved to a convenient place of operation.

SPECIFICATIONS

<u>Dimensions:</u>	22" high x 12 1/2" deep x 22 1/2" wide.
<u>Weight:</u>	65 lbs.
<u>Switch 1:</u>	Selects manual or auto card feed
<u>Switch 2:</u>	Selects start or reverse card
<u>Program:</u>	1. Blank out reading any selected column or columns. 2. Introduce a pause between readout of any column or columns. 3. Introduce auto-stop on any column or columns.
<u>Read Mechanism:</u>	Photoelectric
<u>Timing:</u>	Voice reads one character per second.
<u>Power Input:</u>	115V ac nominal 60 Hz.
<u>Audio Output:</u>	Built in speaker for room level output.
<u>Memory Recording:</u>	Ten numbers from one through zero, female voice, or as specified.

GENTLEMEN:

I am interested in:

- ☐ **Complete Data** ☐ **Price & Delivery on**
.....
- ☐ **Catalog of ADCO Products**
- ☐ **Details of ADCO R&D facilities**
- ☐ **Reprints of further technical papers on**
.....
- ☐ **Have your representative phone**

**PLEASE
MAIL
TODAY**

NAME.....**TITLE**.....

COMPANY.....

ADDRESS.....

CITY.....**STATE**.....

TELEPHONE.....**EXTENSION**.....

**AUTOMATION
DYNAMICS** CORP.

FIRST CLASS
PERMIT # 23
NORTHVALE, N.J.

BUSINESS REPLY MAIL

NO POSTAGE STAMP NECESSARY IF MAILED IN THE UNITED STATES

Postage will be paid by

AUTOMATION DYNAMICS^{CORP}

**Industrial Parkway
Northvale, N. J**

AUTOMATION DYNAMICS CORP.

Electronics for Aircraft and Industry

INDUSTRIAL PARKWAY, NORTHVALE, NEW JERSEY, 07647 CODE 201 768-9200

July 25, 1966

Mr. T. Nelson
Sys. Consultant
Box 1546
Poughkeepsie, New York 12603

Gentlemen:

Subject: Card-to-Voice Reader, Model PD260,
your recent inquiry

The PD260 Reader is the latest addition to Automation Dynamics' sparkling line of quality control and data processing equipment. We wish to thank you for your interest in this equipment, and we are enclosing a copy of our technical bulletin for your review.

In addition, you will undoubtedly be interested in some major application features of this remarkable new instrument :

. . . This is the only data reader on the market today which translates numerical information into voice readout.

. . . Built-in loudspeaker eliminates the need for visual readings which cause interruption in work concentration... also permits several people in a work or instruction group to be directed by a single Reader unit.


. . . Contains Repeat Readout ... any card may be reversed in the unit for rereading as many times as you desire.

(continued)

- . . . 20 programmable readout channels are available.
- . . . Stores as many as 500 punched cards.
- . . . Uses standard IBM cards with automatic or manual advance from card-to-card.
- . . . Compact, portable and simple to operate, the PD260 Reader is an attractive and useful addition to your automated data processing plans.
- . . . Our off-the-shelf price is \$4,500.00, F.O.B. Northvale, New Jersey, and our terms are Net 30 days. Deliveries are usually from stock to four (4) weeks.

When placing your order, or if you should require further information, please contact our nearest sales office, as indicated below.

Very truly yours,


Jack C. Korman
Director of Marketing

JCK/ar

Enclosure

Nearest Office: Cane Technical Sales, Inc.
555 E. Boston Post Rd.
Mamaroneck, N. Y.
914 698-4411